



# NOMAPACK® U



NOMAPACK® U are effective edge protection profiles for each type of corner or curve. They are available in different dimensions and densities in order to protect your products efficiently. We can also develop profiles according to customers specifications.

- Edge protection from 2 mm to 160 mm
- Easy fitting « Multishape » version
- Patented design

## Product features

- PE-LD foam
- Density from 25 kg/m<sup>3</sup> up to 60 kg/m<sup>3</sup>
- Supplied as lengths or coils
- Water absorption < 1 - vol.% after 40 days
- 100% recyclable



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.

For further information, please contact the respective subsidiary in your country. Visit [www.nmc.eu/contact](http://www.nmc.eu/contact)


[www.nmc.eu](http://www.nmc.eu)



## NOMAPACK® U 0-3



- Special edges protection for thin products from 0 to 3 mm
- Prevents bends against sharp edges
- Supplied as endless coil for pieces cut to your own requirements




Type	A mm	B mm	D mm	Density	Length	Packaging unit	Pcs	Item code
0-3	20 $+2/-2$	11 $+1/-1$	32 $+2/-2$	35 kg/m <sup>3</sup> $+3/-3$	590 m $\pm 2\%$	590 m/rol	1	KPPU11000300

## NOMAPACK® U 0-6



- Thanks to high cushioning thickness, this is the ideal protection packaging for thin, sensitive products
- Ideal protection for sensitive goods
- Supplied as lengths or as endless coils for pieces cut to your own requirements




Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
0-6	28,5 $+1/-1$	14,5 $+1/-1$	13 $+1/-1$	37 $+1/-1$	25 kg/m <sup>3</sup> $+2/-2$	2000 mm $\pm 30$ mm	320 m/chn	160	KPPU15000600
0-6 roll	28,5 $+1/-1$	14,5 $+1/-1$	13 $+1/-1$	37 $+1/-1$	25 kg/m <sup>3</sup> $+2/-2$	320 m $\pm 2\%$	320 m/rol	1	KPPU15000601

## NOMAPACK® U 12-18



- Protection packaging for products with a thickness from 12 mm to 18 mm
- Sensitive edges optimally protected
- Supplied as lengths




Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
12-18	45 $\pm 2/2$	20 $\pm 1/1$	23 $\pm 1/1$	56 $\pm 2/2$	35 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	140 m/ctn	70	KPPU18121808

## NOMAPACK® U 6-12



- Protection packaging for products with a thickness from 6 mm to 12 mm
- Also available with an inside reinforcement in PE
- Supplied as endless coil for pieces cut to your own requirements




Type	A mm	B mm	D mm	E mm	Density	Length	Packaging unit	Pcs	Item code
6-12	33 $\pm 2/2$	15 $\pm 1/1$	40 $\pm 2/2$	12 $\pm 1/1$	35 kg/m <sup>3</sup> $\pm 2/2$	240 m $\pm 2\%$	240 m/rol	1	KPPU15061200
6-12 Edge pad	33 $\pm 2/2$	15 $\pm 1/1$	40 $\pm 2/2$	12 $\pm 1/1$	35 kg/m <sup>3</sup> $\pm 2/2$	240 m $\pm 2\%$	240 m/rol	1	KPPU15061202
6-12 CBS	33 $\pm 2/2$	15 $\pm 1/1$	40 $\pm 2/2$	12 $\pm 1/1$	35 kg/m <sup>3</sup> $\pm 2/2$	240 m $\pm 2\%$	240 m/rol	1	KPPU15061203

## NOMAPACK® U FEP



- Multiple applications thanks to its 65 mm "inside diameter"
- Supplied as lengths




Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
FEP	65 $\pm 5/5$	8 $\pm 1/1$	2 $\pm 2/2$	65 $\pm 5/5$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	120 m/ctn	60	KPPU08FEP001

## NOMAPACK® U Higher density



- Ideal for heavy objects requiring higher density
- Supplied as lengths




Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
20-30	31 $\pm 3/3$	18 $\pm 1/1$	28 $\pm 3/3$	48 $\pm 2/2$	60 kg/m <sup>3</sup> $\pm 5/5$	2000 mm $\pm 30$ mm	180 m/ctn	90	KPPU16203001
35-50	45 $\pm 2/2$	18 $\pm 1/1$	24 $\pm 5/5$	50 $\pm 2/2$	65 kg/m <sup>3</sup> $\pm 5/5$	2000 mm $\pm 30$ mm	140 m/ctn	70	KPPU18355000

# NOMAPACK® U 8-12



- Small profile with longer legs
- Ideal packaging solution for "design" edges
- Supplied as endless coil for pieces cut to your own requirements




Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
8-12	11,5 $+1/-1$	7 $+1/-1$	0 $+3/0$	~30	45 kg/m <sup>3</sup> $+3/-3$	550 m $\pm 2\%$	550 m/rol	1	KPPU08081200

# NOMAPACK® U Multishape



- High flexibility due to the V-cut
- Adaptable to all type of radius and angles
- Supplied as endless coil for pieces cut to your own requirements




Type	A mm	B mm	C mm	D mm	E mm	Density	Length	Packaging unit	Pcs	Item code
5-15 MS	16 $+2/-2$	7 $+1/-1$	3 $+3/-3$	29 $+2/-2$	150 $+10/-10$	30 kg/m <sup>3</sup> $+2/-2$	480 m $\pm 2\%$	480 m/rol	1	KPPU08051504
15-25 MS	24 $+2/-2$	8 $+1/-1$	10 $+3/-3$	34 $+2/-2$	170 $+10/-10$	30 kg/m <sup>3</sup> $+2/-2$	250 m $\pm 2\%$	250 m/rol	1	KPPU10152502
25-35 MS	35 $+2/-2$	10 $+1/-1$	20 $+4/-4$	38 $+2/-2$	170 $+10/-10$	30 kg/m <sup>3</sup> $+2/-2$	150 m $\pm 2\%$	150 m/rol	1	KPPU11253503
35-45 MS	41 $+2/-2$	12 $+2/-2$	25 $+5/-5$	43 $+2/-2$	170 $+10/-10$	30 kg/m <sup>3</sup> $+2/-2$	140 m $\pm 2\%$	140 m/rol	1	KPPU12354502

# NOMAPACK® U Classic



- The "classic" profile available in 5 different dimensions
- Supplied as lengths or in some cases as endless coil for pieces cut to your own requirements




Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
10-20	17 $\pm 2/2$	10,5 $\pm 1/1$	5 $\pm 3/3$	30 $\pm 1/1$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	420 m/ctn	210	KPPU10102017
20-35	31 $\pm 2/2$	12 $\pm 1/1$	12 $\pm 4/4$	$\pm 45$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	210 m/ctn	105	KPPU12203507
30-45	41 $\pm 2/2$	15 $\pm 1/1$	20 $\pm 5/5$	$\pm 48$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	160 m/ctn	80	KPPU15304500
45-65	60 $\pm 2/2$	15 $\pm 1/1$	30 $\pm 8/8$	$\pm 57$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	92 m/ctn	46	KPPU15456500
60-85	80 $\pm 3/3$	15 $\pm 1/1$	40 $\pm 10/10$	$\pm 58$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	90 m/ctn	45	KPPU15608500

# NOMAPACK® U Tulip corner



- Corners optimally protected
- Easy to fix
- Available in various cushioning thicknesses
- Supplied as pieces




Type	A mm	C mm	D mm	E = F mm	Density	Packaging unit	Item code
5-15	16 $\pm 2/2$	3 $\pm 3/3$	29 $\pm 2/2$	100 $\pm 10/10$	30 kg/m <sup>3</sup> $\pm 2/2$	900 pcs./ctn	KPCU08051500
15-25	24 $\pm 2/2$	10 $\pm 3/3$	35 $\pm 2/2$	100 $\pm 10/10$	30 kg/m <sup>3</sup> $\pm 2/2$	600 pcs./ctn	KPCU10152500
25-35	35 $\pm 2/2$	20 $\pm 4/4$	41 $\pm 2/2$	100 $\pm 10/10$	30 kg/m <sup>3</sup> $\pm 2/2$	450 pcs./ctn	KPCU11253500
35-45	41 $\pm 2/2$	25 $\pm 5/5$	47 $\pm 2/2$	100 $\pm 10/10$	30 kg/m <sup>3</sup> $\pm 2/2$	300 pcs./ctn	KPCU12354500
45-60	57 $\pm 2/2$	30 $\pm 5/5$	60 $\pm 2/2$	100 $\pm 10/10$	30 kg/m <sup>3</sup> $\pm 2/2$	500 pcs./ctn	KPCU14456000
60-80	71 $\pm 2/2$	45 $\pm 5/5$	66 $\pm 2/2$	100 $\pm 10/10$	30 kg/m <sup>3</sup> $\pm 2/2$	400 pcs./ctn	KPCU15608000
80-100	92 $\pm 3/3$	60 $\pm 10/10$	68 $\pm 2/2$	100 $\pm 10/10$	30 kg/m <sup>3</sup> $\pm 2/2$	280 pcs./ctn	KPCU19801000
100-120 stretch corner	120-160	100 -140	80 $\pm 2/2$	200 $\pm 10/10$	30 kg/m <sup>3</sup> $\pm 3/3$	120 pcs./ctn	KPCU21101201

# NOMAPACK® U Tulip long legs



- With longer legs to protect sharp-ended edges
- Deeper grip
- Supplied as lengths

\* colour: yellow




Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
0-30/70	28 $\pm 2/2$	14 $+1/-1$	0 $+0/0$	94 $+6/6$	33 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	100 m/ctn	50	KPPU13003002
30-40/70	38 $\pm 2/2$	14 $+1/-1$	26 $+10/-10$	84 $+5/-5$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	100 m/ctn	50	KPPU14304000
30-45/51*	40 $\pm 2/2$	15 $+1,5/-1,5$	15 $+5/-5$	51 $\pm 2/2$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	130 m/ctn	65	KPPU15304511
45-70	70 $\pm 2/2$	18 $\pm 2/2$	30 $+10/-10$	131 $+5/-5$	33 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	44 m/ctn	22	KPPU15457000

# NOMAPACK® U Tulip extra padding



- Optimal cushioning protection for heavy goods
- Perfect to protect single or stacked goods
- Supplied as lengths

\* colour: grey




Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
15-25/80	20 $+1/-1$	30 $\pm 2/2$	7 $+5/-5$	83 $+3/-3$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	90 m/ctn	45	KPPU30152500
30-38*	32 $\pm 2/2$	19 $+1,5/-1,5$	20 $+6/-6$	60 $\pm 2/2$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	140 m/ctn	70	KPPU19303800
30-45/55	41 $+3/-3$	25 $\pm 2/2$	22 $+5/-5$	73 $+6/-6$	30 kg/m <sup>3</sup> $\pm 2/2$	2000 mm $\pm 30$ mm	80 m/ctn	40	KPPU25304500

# NOMAPACK® U Tulip



- Protected design
- The "original", recognized and reliable profile
- Available with a patented system to reach a width of 160 mm
- Supplied as lengths



Type	A mm	B mm	C mm	D mm	Density	Length	Packaging unit	Pcs	Item code
5-15 roll	16 +2/-2	7 +1/-1	3 +3/-3	29 +2/-2	30 kg/m <sup>3</sup> +2/-2	500 m ± 2 %	500 m/rol	1	KPPU08051501
5-15	16 +2/-2	7 +1/-1	3 +3/-3	29 +2/-2	30 kg/m <sup>3</sup> +2/-2	2000 mm ± 30 mm	560 m/ctn	280	KPPU08051506
15-25 roll	24 +2/-2	8 +1/-1	10 +3/-3	35 +2/-2	30 kg/m <sup>3</sup> +2/-2	220 m ± 2 %	220 m/rol	1	KPPU10152501
15-25	24 +2/-2	8 +1/-1	10 +3/-3	35 +2/-2	30 kg/m <sup>3</sup> +2/-2	2000 mm ± 30 mm	320 m/ctn	160	KPPU10152510
25-35	35 +2/-2	10 +1/-1	20 +4/-4	41 +2/-2	30 kg/m <sup>3</sup> +2/-2	2000 mm ± 30 mm	240 m/ctn	120	KPPU11253513
35-45	41 +2/-2	12 +2/-2	25 +5/-5	47 +2/-2	30 kg/m <sup>3</sup> +2/-2	2000 mm ± 30 mm	180 m/ctn	90	KPPU12354506
45-60	57 +2/-2	14 +2/-2	30 +5/-5	60 +2/-2	30 kg/m <sup>3</sup> +2/-2	2000 mm ± 30 mm	100 m/ctn	50	KPPU14456000
60-80	71 +2/-2	15 +2/-2	45 +5/-5	66 +2/-2	30 kg/m <sup>3</sup> +2/-2	2000 mm ± 30 mm	80 m/ctn	40	KPPU15608000
80-100	92 +3/-3	18 +2/-2	60 +10/-10	68 +3/-3	30 kg/m <sup>3</sup> +2/-2	2000 mm ± 30 mm	72 m/ctn	36	KPPU19801001
100-120	120 +4/-4	21 +2/-2	98 +10/-10	80 +3/-3	30 kg/m <sup>3</sup> +3/-3	2000 mm ± 30 mm	44 m/ctn	22	KPPU21101200
100-120 stretch profile	120-160	21 +2/-2	100-140	80 +3/-3	30 kg/m <sup>3</sup> +3/-3	2000 mm ± 30 mm	44 m/ctn	22	KPPU21101201

## Complementary Products

### NOMAPACK® L



NOMAPACK® L - profiles are available with or without adhesive. They are the ideal protection for corners, edges and scratch-sensitive flat products. They supply protection for individual pieces or can work as protection of a whole pallet.

### NOMAPACK® WS



NOMAPACK® WS is an innovative transport protection for windscreens and glass. An inner reinforcement of the profile prevents piercing due to sharp edges and protects the product efficiently. An extensive assortment of tool accessories is available to simplify the handling.

### NOMAPACK® Pad



NOMAPACK® Pad, the little spacer with big effect. Available in different dimensions with permanent or residue-free removable adhesive. This is the ideal packaging spacer to separate or fix sensitive goods. The Pads are packed in preslit units, to allow you to separate the required lengths simply and cleanly.